

ABJ Groeneveld, zijn wapenfeiten

- Mede-oprichting Internisten Vereniging Nederland.
- Oprichting Netherlands Journal of Critical Care, editor-in-Chief gedurende 15 jaar.
- Voorzitter congrescommissie NVIC.
- Lid nefrologie commissie NVIC.
- Oprichter van TOPICS symposium.
- Lid van de Acute Kidney Injury committee, wetenschappelijk adviseur en eervol lid van ISICEM.
- Begeleiding van 25 promovendi.
- Bijdragen aan 18 leerboeken op het gebied van mechanische beademing, shock en nierfalen.
- Bijdragen aan meerdere nationale richtlijnen.
- Publicatie van 315 originele artikelen in peer-reviewed journals.

Procalcitonin to guide taking blood cultures in the intensive care unit; a cluster-randomized controlled trial.

van der Geest PJ, Mohseni M, Nieboer D, Duran S, Groeneveld AB.
Clin Microbiol Infect. 2016 Oct 13. pii: S1198-743X(16)30463-3.

Micafungin versus anidulafungin in critically ill patients with invasive candidiasis: a retrospective study.

van der Geest PJ, Hunfeld NG, Ladage SE, Groeneveld AB.
BMC Infect Dis. 2016 Sep 15;16:490. doi: 10.1186/s12879-016-1825-3.

Ventilator-induced central venous pressure variation can predict fluid responsiveness in post-operative cardiac surgery patients.

Cherpanath TG, Geerts BF, Maas JJ, de Wilde RB, Groeneveld AB, Jansen JR.
Acta Anaesthesiol Scand. 2016 Nov;60(10):1395-1403.

Neutrophil Gelatinase-Associated Lipocalin as a Diagnostic Marker for Acute Kidney Injury in Oliguric Critically Ill Patients: A Post-Hoc Analysis.

Egal M, de Geus HR, Groeneveld AB.
Nephron. 2016;134(2):81-88.

The intensive care infection score - a novel marker for the prediction of infection and its severity.

van der Geest PJ, Mohseni M, Linssen J, Duran S, de Jonge R, Groeneveld AB.
Crit Care. 2016 Jul 7;20(1):180.

Targeting oliguria reversal in perioperative restrictive fluid management does not influence the occurrence of renal dysfunction: A systematic review and meta-analysis.

Egal M, de Geus HR, van Bommel J, Groeneveld AB.
Eur J Anaesthesiol. 2016 Jun;33(6):425-35.

Predicting Fluid Responsiveness by Passive Leg Raising: A Systematic Review and Meta-Analysis of 23 Clinical Trials.

Cherpanath TG, Hirsch A, Geerts BF, Lagrand WK, Leeflang MM, Schultz MJ, Groeneveld AB.
Crit Care Med. 2016 May;44(5):981-91.

Low Transmission of Airway Pressures to the Abdomen in Mechanically Ventilated Patients With or Without Acute Respiratory Failure and Intra-Abdominal Hypertension.

Heijnen BG, Spoelstra-de Man AM, Groeneveld AB.
J Intensive Care Med. 2016 Jan 5.

Echinocandin to fluconazole step-down therapy in critically ill patients with invasive, susceptible *Candida albicans* infections.

van der Geest PJ, Rijnders BJ, Vonk AG, Groeneveld AB.
Mycoses. 2016 Mar;59(3):179-85.

Targeting Oliguria Reversal in Goal-Directed Hemodynamic Management Does Not Reduce Renal Dysfunction in Perioperative and Critically Ill Patients: A Systematic Review and Meta-Analysis.

Egal M, Erler NS, de Geus HR, van Bommel J, Groeneveld AB.
Anesth Analg. 2016 Jan;122(1):173-85

Erratum to: Postural change in volunteers: sympathetic tone determines microvascular response to cardiac preload and output increases.

Klijn E, Niehof S, Groeneveld AB, Lima AP, Bakker J, van Bommel J.
Clin Auton Res. 2015 Dec;25(6):355.

- Low tidal volume ventilation ameliorates left ventricular dysfunction in mechanically ventilated rats following LPS-induced lung injury.
Cherpanath TG, Smeding L, Hirsch A, Lagrand WK, Schultz MJ, Groeneveld AB.
BMC Anesthesiol. 2015 Oct 7;15:140.
- Progressively heterogeneous mismatch of regional oxygen delivery to consumption during graded coronary stenosis in pig left ventricle.
Alders DJ, Groeneveld AB, Binsl TW, van Beek JH.
Am J Physiol Heart Circ Physiol. 2015 Nov 15;309(10):H1708-19.
- Erratum to: Diminished adrenal sensitivity to endogenous and exogenous adrenocorticotropic hormone in critical illness: a prospective cohort study.
de Jong MF, Molenaar N, Beishuizen A, Groeneveld AB.
Crit Care. 2015 Sep 4;19:313.
- Postural change in volunteers: sympathetic tone determines microvascular response to cardiac preload and output increases.
Klijn E, Niehof S, Groeneveld AB, Lima AP, Bakker J, van Bommel J.
Clin Auton Res. 2015 Dec;25(6):347-54.
- Three calculations of free cortisol versus measured values in the critically ill.
Molenaar N, Groeneveld AB, de Jong MF.
Clin Biochem. 2015 Nov;48(16-17):1053-8.
- Peripheral Perfusion Index Predicts Hypotension during Fluid Withdrawal by Continuous Veno-Venous Hemofiltration in Critically Ill Patients.
Klijn E, Groeneveld AB, van Genderen ME, Betjes M, Bakker J, van Bommel J.
Blood Purif. 2015;40(1):92-8.
- Gastric feeding intolerance is not caused by mucosal ischemia measured by intragastric air tonometry in the critically ill.
Streefkerk JO, Beishuizen A, Groeneveld AB.
Clin Nutr. 2016 Jun;35(3):731-4.
- Serial inflammatory biomarkers of the severity, course and outcome of late onset acute respiratory distress syndrome in critically ill patients with or at risk for the syndrome after new-onset fever.
Hoeboer SH, Groeneveld AB, van der Heijden M, Oudemans-van Straaten HM.
Biomark Med. 2015;9(6):605-16.
- Coagulation, Fibrinolysis and Inhibitors in Failing Filters during Continuous Venovenous Hemofiltration in Critically Ill Patients with Acute Kidney Injury: Effect of Anticoagulation Modalities.
Schilder L, Nurmohamed SA, ter Wee PM, Paauw NJ, Girbes AR, Beishuizen A, Beelen RH, Groeneveld AB.
Blood Purif. 2015;39(4):297-305.
- Mixed colloids and acute kidney injury: a case of selection bias?
Groeneveld AB, Navickis RJ, Wilkes MM.
Crit Care. 2015 Apr 30;19:207.
- Albumin rather than C-reactive protein may be valuable in predicting and monitoring the severity and course of acute respiratory distress syndrome in critically ill patients with or at risk for the syndrome after new onset fever.
Hoeboer SH, Oudemans-van Straaten HM, Groeneveld AB.
BMC Pulm Med. 2015 Mar 14;15:22.
- Venous-arterial CO₂ to arterial-venous O₂ difference ratio as a resuscitation target in shock states?
Jakob SM, Groeneveld AB, Teboul JL.
Intensive Care Med. 2015 May;41(5):936-8.
- The diagnostic accuracy of procalcitonin for bacteraemia: a systematic review and meta-analysis.
Hoeboer SH, van der Geest PJ, Nieboer D, Groeneveld AB.
Clin Microbiol Infect. 2015 May;21(5):474-81.
- Increased Thyroxin During Therapeutic Hypothermia Predicts Death in Comatose Patients After Cardiac Arrest.
van der Jagt M, Knoops S, de Jong MF, de Jong MJ, Peeters RP, Groeneveld AB.
Neurocrit Care. 2015 Oct;23(2):198-204.
- Rising C-reactive protein and procalcitonin levels precede early complications after esophagectomy.
Hoeboer SH, Groeneveld AB, Engels N, van Genderen M, Wijnhoven BP, van Bommel J.
J Gastrointest Surg. 2015 Apr;19(4):613-24.
- Tissue perfusion and oxygenation to monitor fluid responsiveness in critically ill, septic patients after initial resuscitation: a prospective observational study.
Klijn E, van Velzen MH, Lima AP, Bakker J, van Bommel J, Groeneveld AB.
J Clin Monit Comput. 2015 Dec;29(6):707-12.
- Diminished adrenal sensitivity to endogenous and exogenous adrenocorticotropic hormone in critical illness: a prospective cohort study.
de Jong MF, Molenaar N, Beishuizen A, Groeneveld AB.
Crit Care. 2015 Jan 6;19:1.
- Intravascular versus surface cooling speed and stability after cardiopulmonary resuscitation.
de Waard MC, Banwarie RP, Jewbali LS, Struijs A, Girbes AR, Groeneveld AB.
Emerg Med J. 2015 Oct;32(10):775-80.
- Vitamin D deficiency as a risk factor for infection, sepsis and mortality in the critically ill: systematic review and meta-analysis.
de Haan K, Groeneveld AB, de Geus HR, Egal M, Struijs A.
Crit Care. 2014 Dec 5;18(6):660.
- Calibrated versus uncalibrated arterial pressure waveform analysis in monitoring cardiac output with transpulmonary thermodilution in patients with severe sepsis and septic shock: an observational study.
Slagt C, Helmi M, Malagon I, Groeneveld AB.
Eur J Anaesthesiol. 2015 Jan;32(1):5-12.
- The Durban World Congress Ethics Round Table Conference Report: I. Differences between withholding and withdrawing life-sustaining treatments.
Sprung CL, Paruk F, Kissoon N, Hartog CS, Lipman J, Du B, Argent A, Hodgson RE, Guidet B, Groeneveld AB, Feldman C.
J Crit Care. 2014 Dec;29(6):890-5.
- Citrate anticoagulation versus systemic heparinisation in continuous venovenous hemofiltration in critically ill patients with acute kidney injury: a multi-center randomized clinical trial.
Schilder L, Nurmohamed SA, Bosch FH, Purmer IM, den Boer SS, Kleppe CG, Vervloet MG, Beishuizen A, Girbes AR, Ter Wee PM, Groeneveld AB; CASH study group.
Crit Care. 2014 Aug 16;18(4):472.
- Injurious mechanical ventilation causes kidney apoptosis and dysfunction during sepsis but not after intra-tracheal acid instillation: an experimental study.
Kuiper JW, Groeneveld AB, Haitsma JJ, Smeding L, Begieneman MP, Jothy S, Vaschetto R, Plötz FB.
BMC Nephrol. 2014 Jul 29;15:126.
- The case for 0.9% NaCl: is the undefendable, defensible?
Ince C, Groeneveld AB.
Kidney Int. 2014 Dec;86(6):1087-95.
- Metabolic response to the stress of critical illness.
Preiser JC, Ichai C, Orban JC, Groeneveld AB.
Br J Anaesth. 2014 Dec;113(6):945-54.

- Diuretic response to colloid and crystalloid fluid loading in critically ill patients.
Smorenberg A, Groeneveld AB.
J Nephrol. 2015 Feb;28(1):89-95.
- Immature granulocytes predict microbial infection and its adverse sequelae in the intensive care unit.
van der Geest PJ, Mohseni M, Brouwer R, van der Hoven B, Steyerberg EW, Groeneveld AB.
J Crit Care. 2014 Aug;29(4):523-7.
- The plasma level and biomarker value of neutrophil gelatinase-associated lipocalin in critically ill patients with acute kidney injury are not affected by continuous venovenous hemofiltration and anticoagulation applied.
Schilder L, Nurmohamed SA, ter Wee PM, Paauw NJ, Girbes AR, Beishuizen A, Beelen RH, Groeneveld AB.
Crit Care. 2014 Apr 22;18(2):R78.
- Recombinant human activated protein C in the treatment of acute respiratory distress syndrome: a randomized clinical trial.
Cornet AD, Groeneveld AB, Hofstra JJ, Vlaar AP, Tuinman PR, van Lingen A, Levi M, Girbes AR, Schultz MJ, Beishuizen A.
PLoS One. 2014 Mar 14;9(3):e90983.
- Normal saline to dilute parenteral drugs and to keep catheters open is a major and preventable source of hypernatremia acquired in the intensive care unit.
Choo WP, Groeneveld AB, Driessen RH, Swart EL.
J Crit Care. 2014 Jun;29(3):390-4.
- Dose and type of crystalloid fluid therapy in adult hospitalized patients.
Smorenberg A, Ince C, Groeneveld AJ.
Periop Med (Lond). 2013 Aug 6;2(1):17.
- Citrate confers less filter-induced complement activation and neutrophil degranulation than heparin when used for anticoagulation during continuous venovenous haemofiltration in critically ill patients.
Schilder L, Nurmohamed SA, ter Wee PM, Paauw NJ, Girbes AR, Beishuizen A, Beelen RH, Groeneveld AB.
BMC Nephrol. 2014 Jan 17;15:19.
- Systematic review of uncalibrated arterial pressure waveform analysis to determine cardiac output and stroke volume variation.
Slagt C, Malagon I, Groeneveld AB.
Br J Anaesth. 2014 Apr;112(4):626-37.
- What are the relevant molecular routes in septic acute kidney injury?
Stads S, Groeneveld AB.
Crit Care Med. 2014 Jan;42(1):225-6.
- Soluble receptor for advanced glycation end products as an indicator of pulmonary vascular injury after cardiac surgery.
Tuinman PR, Cornet AD, Kuipers MT, Vlaar AP, Schultz MJ, Beishuizen A, Groeneveld AB, Juffermans NP.
BMC Pulm Med. 2013 Dec 16;13:76.
- Time of injury affects urinary biomarker predictive values for acute kidney injury in critically ill, non-septic patients.
de Geus HR, Fortrie G, Betjes MG, van Schaik RH, Groeneveld AB.
BMC Nephrol. 2013 Dec 9;14:273.
- Activated protein C ameliorates impaired renal microvascular oxygenation and sodium reabsorption in endotoxemic rats.
Almac E, Johannes T, Bezemer R, Mik EG, Unertl KE, Groeneveld AB, Ince C.
Intensive Care Med Exp. 2013 Dec;1(1):24.
- Basic concepts of fluid responsiveness.
Cherpanath TG, Geerts BF, Lagrand WK, Schultz MJ, Groeneveld AB.
Neth Heart J. 2013 Dec;21(12):530-6.
- Plasma biomarkers for acute respiratory distress syndrome: a systematic review and meta-analysis.
Terpstra ML, Aman J, van Nieuw Amerongen GP, Groeneveld AB.
Crit Care Med. 2014 Mar;42(3):691-700.
- A perspective on mesenchymal stromal cell transplantation in the treatment of sepsis.
Kusadasi N, Groeneveld AB.
Shock. 2013 Nov;40(5):352-7.
- Mixed venous O₂ saturation and fluid responsiveness after cardiac or major vascular surgery.
Kuiper AN, Trof RJ, Groeneveld AB.
J Cardiothorac Surg. 2013 Sep 22;8:189.
- Aggravation of myocardial dysfunction by injurious mechanical ventilation in LPS-induced pneumonia in rats.
Smeding L, Kuiper JW, Plötz FB, Kneyber MC, Groeneveld AJ.
Respir Res. 2013 Sep 18;14:92.
- A review of the hemodynamic effects of external leg and lower body compression.
Helmi M, Gommers D, Groeneveld AB.
Minerva Anesthesiol. 2014 Mar;80(3):355-65.
- Computational estimation of tricarboxylic acid cycle fluxes using noisy NMR data from cardiac biopsies.
Hettling H, Alders DJ, Heringa J, Binsl TW, Groeneveld AB, van Beek JH.
BMC Syst Biol. 2013 Aug 21;7:82.
- Hydroxyethyl starch 130/0.4 and postoperative acute kidney injury.
Groeneveld AB, Navickis RJ, Wilkes MM.
Anesthesiology. 2013 Sep;119(3):733-5.
- Do we need alternatives for bicarbonate and anion gap?
Van Den Akker JP, Groeneveld AB.
Minerva Anesthesiol. 2013 Oct;79(10):1111-2.
- Global end-diastolic volume increases to maintain fluid responsiveness in sepsis-induced systolic dysfunction.
Trof RJ, Danad I, Groeneveld AJ.
BMC Anesthesiol. 2013 Jun 22;13:12.
- Changes in circulating procalcitonin versus C-reactive protein in predicting evolution of infectious disease in febrile, critically ill patients.
Hoeboer SH, Groeneveld AB.
PLoS One. 2013 Jun 6;8(6):e65564.
- Clinical correlates of herpes simplex virus type 1 loads in the lower respiratory tract of critically ill patients.
Assink-de Jong E, Groeneveld AB, Pettersson AM, Koek A, Vandenbroucke-Grauls CM, Beishuizen A, Simoons-Smit AM.
J Clin Virol. 2013 Sep;58(1):79-83.
- Invasive mechanical ventilation as a risk factor for acute kidney injury in the critically ill: a systematic review and meta-analysis.
van den Akker JP, Egal M, Groeneveld AB.
Crit Care. 2013 May 27;17(3):R98.
- Continuous venovenous haemofiltration with citrate-buffered replacement solution is safe and efficacious in patients with a bleeding tendency: a prospective observational study.
Nurmohamed SA, Jallah BP, Vervloet MG, Yldirim G, ter Wee PM, Groeneveld AB.
BMC Nephrol. 2013 Apr 18;14:89.
- Systolic time intervals vs invasive predictors of fluid responsiveness after coronary artery bypass surgery.
Smorenberg A, Lust EJ, Beishuizen A, Meijer JH, Verdaasdonk RM, Groeneveld AB.
Eur J Cardiothorac Surg. 2013 Nov;44(5):891-7.

- Cardiopulmonary interactions during mechanical ventilation in critically ill patients. Cherpanath TG, Lagrand WK, Schultz MJ, Groeneveld AB. *Neth Heart J*. 2013 Apr;21(4):166-72.
- Activated protein C attenuates pulmonary coagulopathy in patients with acute respiratory distress syndrome. Cornet AD, Hofstra JJ, Vlaar AP, Tuinman PR, Levi M, Girbes AR, Schultz MJ, Groeneveld AB, Beishuizen A. *J Thromb Haemost*. 2013 May;11(5):894-901.
- High-dose norepinephrine treatment: determinants of mortality and futility in critically ill patients. Döpp-Zemel D, Groeneveld AB. *Am J Crit Care*. 2013 Jan;22(1):22-32.
- Determinants of renal function at hospital discharge of patients treated with renal replacement therapy in the intensive care unit. Fortrie G, Stads S, de Geus HR, Groeneveld AB, Zietse R, Betjes MG. *J Crit Care*. 2013 Apr;28(2):126-32.
- Reply to letters: "Safety of colloids: a knowledge issue?," "Update on the comparative safety of colloids: was this review really systematic?," and "Is it already time to update the comparative safety of colloids?." Groeneveld AB, Navickis RJ, Wilkes MM. *Ann Surg*. 2013 Jan;257(1):e3-4.
- Cardiac output measured by uncalibrated arterial pressure waveform analysis by recently released software version 3.02 versus thermodilution in septic shock. Slagt C, de Leeuw MA, Beute J, Rijnsburger E, Hoeksema M, Mulder JW, Malagon I, Groeneveld AB. *J Clin Monit Comput*. 2013 Apr;27(2):171-7.
- Comparing hemodynamic effects with three different measurement devices, of two methods of external leg compression versus passive leg raising in patients after cardiac surgery. Helmi M, de Wilde RB, Jansen JR, Geerts BF, Versteegh MI, van den Berg PC, Gommers D, Groeneveld AB. *J Clin Monit Comput*. 2013 Apr;27(2):163-70.
- Recommendations for the timing and dosing of CRRT in critically ill patients with AKI. H.M. Oudemans-van Straaten, C.S.C. Bouman, M. Schetz, A.B.J. Groeneveld, A.C. de Pont, A.M. van Alphen, H. de Geus, W. Boer. *Neth J Crit Care February 2013*;17(1):10-11.
- Effective treatment of edema and endothelial barrier dysfunction with imatinib. Aman J, van Bezou J, Damanafshan A, Huvneers S, Eringa EC, Vogel SM, Groeneveld AB, Vonk Noordegraaf A, van Hinsbergh VW, van Nieuw Amerongen GP. *Circulation*. 2012 Dec 4;126(23):2728-38.
- Effect of anticoagulation regimens on handling of interleukin-6 and -8 during continuous venovenous hemofiltration in critically ill patients with acute kidney injury. Schilder L, Nurmohamed SA, ter Wee PM, Girbes AR, Beishuizen A, Paauw NJ, Beelen RH, Groeneveld AB. *Cytokine*. 2012 Dec;60(3):601-7.
- Red blood cell transfusion compared with gelatin solution and no infusion after cardiac surgery: effect on microvascular perfusion, vascular density, hemoglobin, and oxygen saturation. Atasever B, van der Kuil M, Boer C, Vonk A, Schwarte L, Girbes AR, Ince C, Beishuizen A, Groeneveld AB. *Transfusion*. 2012 Nov;52(11):2452-8.
- Unless high-quality clinical data show they are safe, synthetic colloids should not be used in patients with head injury. Reinhart K, Perner A, Sprung CL, Jaeschke R, Schortgen F, Groeneveld AB, Beale R, Hartog CS. *Intensive Care Med*. 2012 Sep;38(9):1563-4.
- Steroidogenesis in the adrenal dysfunction of critical illness: impact of etomidate. Molenaar N, Bijkerk RM, Beishuizen A, Hempen CM, de Jong MF, Vermes I, van der Sluijs Veer G, Girbes AR, Groeneveld AB. *Crit Care*. 2012 Jul 10;16(4):R121.
- Mechanical ventilation with high tidal volumes attenuates myocardial dysfunction by decreasing cardiac edema in a rat model of LPS-induced peritonitis. Smeding L, Plötz FB, Lamberts RR, van der Laarse WJ, Kneyber MC, Groeneveld AB. *Respir Res*. 2012 Mar 20;13:23.
- Structural changes of the heart during severe sepsis or septic shock. Smeding L, Plötz FB, Groeneveld AB, Kneyber MC. *Shock*. 2012 May;37(5):449-56.
- Old and new biomarkers for predicting high and low risk microbial infection in critically ill patients with new onset fever: a case for procalcitonin. Hoeboer SH, Alberts E, van den Hul I, Tacx AN, Debets-Ossenkopp YJ, Groeneveld AB. *J Infect*. 2012 May;64(5):484-93.
- High tidal volume mechanical ventilation-induced lung injury in rats is greater after acid instillation than after sepsis-induced acute lung injury, but does not increase systemic inflammation: an experimental study. Kuiper JW, Plötz FB, Groeneveld AJ, Haitisma JJ, Jothy S, Vaschetto R, Zhang H, Slutsky AS. *BMC Anesthesiol*. 2011 Dec 28;11:26.
- Volume-limited versus pressure-limited hemodynamic management in septic and nonseptic shock. Trof RJ, Beishuizen A, Cornet AD, de Wit RJ, Girbes AR, Groeneveld AB. *Crit Care Med*. 2012 Apr;40(4):1177-85.
- Predictors of pulmonary edema formation during fluid loading in the critically ill with presumed hypovolemia. Aman J, Groeneveld AB, van Nieuw Amerongen GP. *Crit Care Med*. 2012 Mar;40(3):793-9.
- Nebulized anticoagulants limit coagulopathy but not inflammation in pseudomonas aeruginosa-induced pneumonia in rats. Cornet AD, Hofstra JJ, Vlaar AP, van den Boogaard FE, Roelofs JJ, van der Poll T, Levi M, Groeneveld AB, Schultz MJ. *Shock*. 2011 Oct;36(4):417-23.
- Bench-to-bedside review: Ventilation-induced renal injury through systemic mediator release--just theory or a causal relationship? Kuiper JW, Vaschetto R, Della Corte F, Plötz FB, Groeneveld AB. *Crit Care*. 2011 Aug 16;15(4):228.
- Opposing effects of the angiotensin II on the thrombin-induced permeability of human pulmonary microvascular endothelial cells. van der Heijden M, van Nieuw Amerongen GP, van Bezou J, Paul MA, Groeneveld AB, van Hinsbergh VW. *PLoS One*. 2011;6(8):e23448.
- S(CV)O₂ is not a universal indicator of fluid responsiveness. Kuiper AN, Trof RJ, Groeneveld AB. *J Trauma*. 2011 Aug;71(2):518-9; author reply 519-20.
- Early myocardial dysfunction is not caused by mitochondrial abnormalities in a rat model of peritonitis. Smeding L, van der Laarse WJ, van Veelen TA, Lamberts RR, Niessen HW, Kneyber MC, Groeneveld AB, Plötz FB. *J Surg Res*. 2012 Jul;176(1):178-84.

- The effect of blood transfusion on pulmonary permeability in cardiac surgery patients: a prospective multicenter cohort study.
Vlaar AP, Cornet AD, Hofstra JJ, Porcelijn L, Beishuizen A, Kulik W, Vroom MB, Schultz MJ, Groeneveld AB, Juffermans NP.
Transfusion. 2012 Jan;52(1):82-90.
- Use of synthetic colloids in sepsis: a critical review on efficacy, safety and patient benefits.
Trof RJ, Groeneveld AB.
Minerva Anesthesiol. 2011 Dec;77(12):1216-23.
- Predicting cardiac output responses to passive leg raising by a PEEP-induced increase in central venous pressure, in cardiac surgery patients.
Geerts BF, Aarts LP, Groeneveld AB, Jansen JR.
Br J Anaesth. 2011 Aug;107(2):150-6.
- Opening the lungs: do it slowly, please.
Plötz FB, Groeneveld AB.
Crit Care Med. 2011 May;39(5):1221-2.
- Cardiac filling volumes versus pressures for predicting fluid responsiveness after cardiovascular surgery: the role of systolic cardiac function.
Trof RJ, Danad I, Reilingh MW, Breukers RM, Groeneveld AB.
Crit Care. 2011;15(1):R73.
- Vasopressors and inotropes in the treatment of human septic shock: effect on innate immunity?
Hartemink KJ, Groeneveld AB.
Inflammation. 2012 Feb;35(1):206-13.
- Blood transfusion during cardiac surgery is associated with inflammation and coagulation in the lung: a case control study.
Tuinman PR, Vlaar AP, Cornet AD, Hofstra JJ, Levi M, Meijers JC, Beishuizen A, Schultz MJ, Groeneveld AB, Juffermans NP.
Crit Care. 2011;15(1):R59.
- ρ -Kinase inhibition reduces early microvascular leukocyte accumulation in the rat kidney following ischemia-reperfusion injury: roles of nitric oxide and blood flow.
Versteilen AM, Blaauw N, Di Maggio F, Groeneveld AB, Sipkema P, Musters RJ, Tangelder GJ.
Nephron Exp Nephrol. 2011;118(4):e79-86.
- Endotoxemia decreases matching of regional blood flow and O₂ delivery to O₂ uptake in the porcine left ventricle.
Alders DJ, Groeneveld AB, Binsl TW, de Kanter FJ, van Beek JH.
Am J Physiol Heart Circ Physiol. 2011 Apr;300(4):H1459-66.
- Nebulized anticoagulants limit pulmonary coagulopathy but not bacterial clearance or inflammation in Pseudomonas pneumonia.
Cornet AD, Hofstra JJ, Vlaar AP, van den Boogaard FE, Roelofs JJ, van der Poll T, Levi M, Groeneveld AB, Schultz MJ. Neth J Crit Care February 2012;16(1): 33-4.
- Risk factors and outcome of changes in adrenal response to ACTH in the course of critical illness.
de Jong MF, Beishuizen A, van Schijndel RJ, Girbes AR, Groeneveld AB.
J Intensive Care Med. 2012 Feb;27(1):37-44.
- Predicting fluid responsiveness after cardiac surgery.
Trof RJ, Danad I, Reilingh MW, Breukers RM, Groeneveld AB. Neth J Crit Care August 2011;15(4): 221.
- Predilution has no effect on filter life and azotemic control during heparin treatment.
Nurmohamed SA, Jallah BP, Vervloet MG, Beishuizen A, Groeneveld AB. Neth J Crit Care April 2011;15(2): 89.
- Update on the comparative safety of colloids: a systematic review of clinical studies.
Groeneveld AB, Navickis RJ, Wilkes MM.
Ann Surg. 2011 Mar;253(3):470-83.
- Determinants of outcome in non-septic critically ill patients with acute kidney injury on continuous venovenous hemofiltration.
Koning MV, Roest AA, Vervloet MG, Groeneveld AB, Nurmohamed SA.
Nephron Extra. 2011 Jan;1(1):91-100.
- Predilution versus postdilution continuous venovenous hemofiltration: no effect on filter life and azotemic control in critically ill patients on heparin.
Nurmohamed SA, Jallah BP, Vervloet MG, Beishuizen A, Groeneveld AB.
ASAIO J. 2011 Jan-Feb;57(1):48-52.
- Plasma protein levels are markers of pulmonary vascular permeability and degree of lung injury in critically ill patients with or at risk for acute lung injury/acute respiratory distress syndrome.
Aman J, van der Heijden M, van Lingen A, Girbes AR, van Nieuw Amerongen GP, van Hinsbergh VW, Groeneveld AB.
Crit Care Med. 2011 Jan;39(1):89-97.
- Plasma protein levels as a marker of pulmonary vascular permeability in patients with ALI/ARDS.
Aman J, van der Heijden M, van Lingen A, Girbes AR, van Nieuw Amerongen GP, van Hinsbergh VW, Groeneveld AB. Neth J Crit Care January 2011;15(1): 32.
- Delivered dose of continuous venovenous hemofiltration predicts outcome in septic patients with acute kidney injury: a retrospective study.
Nurmohamed SA, Koning MV, Vervloet MG, Groeneveld AB.
J Crit Care. 2011 Apr;26(2):213-20. doi: 10.1016/j.jccr.2010.09.004. Epub 2010 Oct 30. Erratum in: J Crit Care. 2011 Aug;26(4):436.
- Relation between coagulation/fibrinolysis and lactate in the course of human septic shock.
Hartemink KJ, Hack CE, Groeneveld AB.
J Clin Pathol. 2010 Nov;63(11):1021-6.
- The hemodynamics of human septic shock relate to circulating innate immunity factors.
Hartemink KJ, Groeneveld AB.
Immunol Invest. 2010;39(8):849-62.
- High circulating N-terminal pro-B-type natriuretic peptide is associated with greater systolic cardiac dysfunction and nonresponsiveness to fluids in septic vs nonseptic critically ill patients.
Hartemink KJ, Twisk JW, Groeneveld AB.
J Crit Care. 2011 Feb;26(1):108.e1-8.
- A plethora of angiotensin-2 effects during clinical sepsis.
van Nieuw Amerongen GP, Groeneveld AB.
Crit Care. 2010;14(3):166.
- Renal hypoperfusion and impaired endothelium-dependent vasodilation in an animal model of VILI: the role of the peroxynitrite-PARP pathway.
Vaschetto R, Kuiper JW, Musters RJ, Eringa EC, Della Corte F, Murthy K, Groeneveld AB, Plötz FB.
Crit Care. 2010;14(2):R45.
- Choosing patient-tailored hemodynamic monitoring.
Slagt C, Breukers RM, Groeneveld AB.
Crit Care. 2010;14(2):208.
- Infections of respiratory or abdominal origin in ICU patients: what are the differences?
Volakli E, Spies C, Michalopoulos A, Groeneveld AB, Sakr Y, Vincent JL.
Crit Care. 2010;14(2):R32.

- Pulmonary effects of red blood cell transfusion in critically ill, non-bleeding patients.
Cornet AD, Zwart E, Kingma SD, Groeneveld AB.
Transfus Med. 2010 Aug 1;20(4):221-6.
- Clinical implications of heart-lung interactions.
Smeding L, Lust E, Plötz FB, Groeneveld AB.
Neth J Med. 2010 Feb;68(2):56-61.
- Greater cardiac response of colloid than saline fluid loading in septic and non-septic critically ill patients with clinical hypovolaemia.
Trof RJ, Sukul SP, Twisk JW, Girbes AR, Groeneveld AB.
Intensive Care Med. 2010 Apr;36(4):697-701.
- A dose-finding study of methylene blue to inhibit nitric oxide actions in the hemodynamics of human septic shock.
Juffermans NP, Vervloet MG, Daemen-Gubbels CR, Binnekade JM, de Jong M, Groeneveld AB.
Nitric Oxide. 2010 May 15;22(4):275-80.
- Computational quantification of metabolic fluxes from a single isotope snapshot: application to an animal biopsy.
Binsl TW, Alders DJ, Heringa J, Groeneveld AB, van Beek JH.
Bioinformatics. 2010 Mar 1;26(5):653-60.
- Fluids in septic shock: too much of a good thing?
Groeneveld AB.
Crit Care. 2010;14(1):101.
- Prevention of acute kidney injury and protection of renal function in the intensive care unit. Expert opinion of the Working Group for Nephrology, ESICM.
Joannidis M, Druml W, Forni LG, Groeneveld AB, Honore P, Oudemans-van Straaten HM, Ronco C, Schetz MR, Woittiez AJ; Critical Care Nephrology Working Group of the European Society of Intensive Care Medicine.
Intensive Care Med. 2010 Mar;36(3):392-411
- Role of cyclooxygenase and derived reactive oxygen species in rho-kinase-mediated impairment of endothelium-dependent vasodilation and blood flow after ischemia-reperfusion of the rat kidney.
Versteilen AM, Korstjens JJ, Musters RJ, Groeneveld AB, Sipkema P.
Nephron Exp Nephrol. 2010;114(1):e1-6.
- The adrenocorticotrophic hormone-induced cortisol response in acute pancreatitis.
Groeneveld AB.
Crit Care. 2009;13(5):186.
- Diagnosing acute lung injury in the critically ill: a national survey among critical care physicians.
Vlaar AB, Honselaar WB, Binnekade JM, Groeneveld AB, Spronk PE, Schultz MJ, Juffermans NP.
Acta Anaesthesiol Scand. 2009 Nov;53(10):1293-9.
- Assessing fluid responses after coronary surgery: role of mathematical coupling of global end-diastolic volume to cardiac output measured by transpulmonary thermodilution.
Breukers RM, de Wilde RB, van den Berg PC, Jansen JR, Faes TJ, Twisk JW, Groeneveld AB.
Eur J Anaesthesiol. 2009 Nov;26(11):954-60.
- Circulating angiotensin-2 levels in the course of septic shock: relation with fluid balance, pulmonary dysfunction and mortality.
van der Heijden M, Pickkers P, van Nieuw Amerongen GP, van Hinsbergh VW, Bouw MP, van der Hoeven JG, Groeneveld AB.
Intensive Care Med. 2009 Sep;35(9):1567-74.
- The interaction of soluble Tie2 with angiotensin and pulmonary vascular permeability in septic and nonseptic critically ill patients.
van der Heijden M, van Nieuw Amerongen GP, van Hinsbergh VW, Groeneveld AB.
Shock. 2010 Mar;33(3):263-8.
- What is new in Shock, July 2009?: from bench to bedside.
Groeneveld AB, Smeding L, van der Heijden M.
Shock. 2009 Jul;32(1):1-3.
- Hepatosplanchnic ischemia/reperfusion is a major determinant of lung vascular injury after aortic surgery.
Cornet AD, Kingma SD, Trof RJ, Wisselink W, Groeneveld AB.
J Surg Res. 2009 Nov;157(1):48-54.
- Extravascular lung water to blood volume ratios as measures of pulmonary capillary permeability in nonseptic critically ill patients.
van der Heijden M, Groeneveld AB.
J Crit Care. 2010 Mar;25(1):16-22.
- Metabolic effects of citrate- vs bicarbonate-based substitution fluid in continuous venovenous hemofiltration: a prospective sequential cohort study.
Aman J, Nurmohamed SA, Vervloet MG, Groeneveld AB.
J Crit Care. 2010 Mar;25(1):120-7.
- Mathematical coupling between global end-diastolic volume and cardiac output influences the assessment of fluid responses after coronary surgery
Breukers RM, de Wilde RB, van den Berg PC, Jansen JR, Faes TJ, Twisk JW, Groeneveld AB. *Neth J Crit Care* December 2009;13(6): 323.
- Less invasive indicators of changes in thermodilution cardiac output by ventilatory changes after cardiac surgery.
Breukers RM, Willems JH, de Wilde R, Jansen JR, Groeneveld AJ.
Eur J Anaesthesiol. 2009 Oct;26(10):863-7.
- Circulating Angiotensin-2 levels are related to pulmonary dysfunction and mortality in ventilated septic shock patients
van der Heijden M, Pickkers P, van Nieuw Amerongen GP, van Hinsbergh VW, Bouw MP, van der Hoeven JG, Groeneveld AB. *Neth J Crit Care* October 2009;13(5): 265.
- Type of fluid loading in septic and nonseptic patients does not affect pulmonary oedema
van der Heijden M, Verheij J, van Nieuw Amerongen GP, Groeneveld AB. *Neth J Crit Care* June 2009;13(3): 148.
- Assessing effects of PEEP and global expiratory lung volume on regional electrical impedance tomography.
Markhorst DG, Groeneveld AB, Heethaar RM, Zonneveld E, Van Genderingen HR.
J Med Eng Technol. 2009;33(4):281-7.
- Transpulmonary versus continuous thermodilution cardiac output after valvular and coronary artery surgery.
Breukers RM, Groeneveld AB, de Wilde RB, Jansen JR.
Interact Cardiovasc Thorac Surg. 2009 Jul;9(1):4-8.
- Treatment of septic renal injury by alkaline phosphatase: an emperor with new clothes.
Groeneveld AB, Vervloet MG.
Crit Care Med. 2009 Feb;37(2):740-1.
- Activated protein C in the treatment of acute lung injury and acute respiratory distress syndrome.
Cornet AD, van Nieuw Amerongen GP, Beishuizen A, Schultz MJ, Girbes AR, Groeneveld AJ.
Expert Opin Drug Discov. 2009 Mar;4(3):219-27.

- Crystalloid or colloid fluid loading and pulmonary permeability, edema, and injury in septic and nonseptic critically ill patients with hypovolemia.
van der Heijden M, Verheij J, van Nieuw Amerongen GP, Groeneveld AB.
Crit Care Med. 2009 Apr;37(4):1275-81.
- Hypothalamo-pituitary-adrenal axis activity after intracranial catastrophies: what is enough?
Groeneveld AB, Beishuizen A, Molenaar N.
Crit Care. 2009;13(1):103.
- Risk factors for increased mortality from hospital-acquired versus community-acquired infections in febrile medical patients.
Groeneveld AB.
Am J Infect Control. 2009 Feb;37(1):35-42.
- Acute necrotizing pancreatitis following inadvertent extensive splenic artery embolisation for trauma.
Hammers RL, Van Den Berg FG, Groeneveld AB.
Br J Radiol. 2009 Jan;82(973):e11-4.
- Acute kidney injury during lung-injurious mechanical ventilation
Kuiper JW, Versteilen AM, Niessen HW, Vaschetto RR, Sipkema P, Heijnen CJ, Groeneveld AB, Plötz FB. *Neth J Crit Care* December 2008;12(6): 289
- Production of endothelin-1 and reduced blood flow in the rat kidney during lung-injurious mechanical ventilation.
Kuiper JW, Versteilen AM, Niessen HW, Vaschetto RR, Sipkema P, Heijnen CJ, Groeneveld AB, Plötz FB.
Anesth Analg. 2008 Oct;107(4):1276-83.
- Should we abandon corticosteroids during septic shock? No.
Groeneveld AB, Molenaar N, Beishuizen B.
Curr Opin Crit Care. 2008 Aug;14(4):384-9.
- The pituitary-adrenal axis is activated more in non-survivors than in survivors of cardiac arrest, irrespective of therapeutic hypothermia.
de Jong MF, Beishuizen A, de Jong MJ, Girbes AR, Groeneveld AB.
Resuscitation. 2008 Sep;78(3):281-8.
- Angiopietin-2, permeability oedema, occurrence and severity of ALI/ARDS in septic and non-septic critically ill patients.
van der Heijden M, van Nieuw Amerongen GP, Koolwijk P, van Hinsbergh VW, Groeneveld AB.
Thorax. 2008 Oct;63(10):903-9.
- The role of the innate immune response in hospital- versus community-acquired infection in febrile medical patients.
Groeneveld AB, Hack CE.
Int J Infect Dis. 2008 Nov;12(6):660-70.
- Leptin and ghrelin: through thick and thin.
Beishuizen A, Girbes AR, Groeneveld AB.
Crit Care Med. 2008 Mar;36(3):1011-2.
- The relationship between arterial PO₂ and mixed venous PO₂ in response to changes in positive end-expiratory pressure in ventilated patients.
Groeneveld AB, Schneider AJ.
Anaesthesia. 2008 May;63(5):488-94.
- An update on acute kidney injury after cardiac surgery.
Vaschetto R, Groeneveld AB.
Acta Clin Belg. 2007;62 Suppl 2:380-4.
- Rho-kinase-dependent F-actin rearrangement is involved in the inhibition of PI3-kinase/Akt during ischemia-reperfusion-induced endothelial cell apoptosis.
van der Heijden M, Versteilen AM, Sipkema P, van Nieuw Amerongen GP, Musters RJ, Groeneveld AB.
Apoptosis. 2008 Mar;13(3):404-12.
- Activated protein C in sepsis: tightening pulmonary endothelial cells?
Cornet AD, Beishuizen A, Groeneveld AB.
Crit Care Med. 2007 Nov;35(11):2656-8.
- Coronary stent occlusion after platelet transfusion: a case series.
Cornet AD, Klein LJ, Groeneveld AB.
J Invasive Cardiol. 2007 Oct;19(10):E297-9.
- Cardiac output measured by a new arterial pressure waveform analysis method without calibration compared with thermodilution after cardiac surgery.
Breukers RM, Sepelrhkhouy S, Spiegelberg SR, Groeneveld AB.
J Cardiothorac Vasc Anesth. 2007 Oct;21(5):632-5.
- Quantitative detection of Staphylococcus aureus and Enterococcus faecalis DNA in blood to diagnose bacteremia in patients in the intensive care unit.
Peters RP, van Agtmael MA, Gierveld S, Danner SA, Groeneveld AB, Vandembroucke-Grauls CM, Savelkoul PH.
J Clin Microbiol. 2007 Nov;45(11):3641-6.
- The role of heparin and allied compounds in the treatment of sepsis.
Cornet AD, Smit EG, Beishuizen A, Groeneveld AB.
Thromb Haemost. 2007 Sep;98(3):579-86.
- Continuous venovenous hemofiltration with or without predilution regional citrate anticoagulation: a prospective study.
Nurmohamed SA, Vervloet MG, Girbes AR, Ter Wee PM, Groeneveld AB.
Blood Purif. 2007;25(4):316-23.
- Mechanisms of the urinary concentration defect and effect of desmopressin during endotoxemia in rats.
Versteilen AM, Heemskerk AE, Groeneveld AB, van Wijhe M, van Lambalgen AA, Tangelder GJ.
Shock. 2008 Feb;29(2):217-22.
- Correlates of thenar near-infrared spectroscopy-derived tissue O₂ saturation after cardiac surgery.
Uilkema RJ, Groeneveld AB.
Interact Cardiovasc Thorac Surg. 2007 Jun;6(3):265-9.
- Management of invasive pulmonary aspergillosis in non-neutropenic critically ill patients.
Trof RJ, Beishuizen A, Debets-Ossenkopp YJ, Girbes AR, Groeneveld AB.
Intensive Care Med. 2007 Oct;33(10):1694-703.
- Increased permeability-oedema and atelectasis in pulmonary dysfunction after trauma and surgery: a prospective cohort study.
Groeneveld AB.
BMC Anesthesiol. 2007 Jul 9;7:7.
- Epidemiology of acute lung injury and acute respiratory distress syndrome in The Netherlands: a survey.
Wind J, Versteegt J, Twisk J, van der Werf TS, Bindels AJ, Spijkerstra JJ, Girbes AR, Groeneveld AB.
Respir Med. 2007 Oct;101(10):2091-8.

Relative adrenal insufficiency as a predictor of disease severity, mortality, and beneficial effects of corticosteroid treatment in septic shock.

de Jong MF, Beishuizen A, Spijkstra JJ, Groeneveld AB.

Crit Care Med. 2007 Aug;35(8):1896-903.

Predicting a low cortisol response to adrenocorticotrophic hormone in the critically ill: a retrospective cohort study.

de Jong MF, Beishuizen A, Spijkstra JJ, Girbes AR, Strack van Schijndel RJ, Twisk JW, Groeneveld AB.

Crit Care. 2007;11(3):R61.

Transpulmonary dilution-derived extravascular lung water as a measure of lung edema.

Khan S, Trof RJ, Groeneveld AB

Curr Opin Crit Care. 2007 Jun;13(3):303-7.

One swallow does not make a summer: can herpes simplex virus-1 cause pneumonia and acute lung injury?

Groeneveld AB, Vandenbroucke-Grauls CM.

Am J Respir Crit Care Med. 2007 May 1;175(9):865-6.

Relative adrenal insufficiency: an identifiable entity in nonseptic critically ill patients?

de Jong MF, Beishuizen A, Spijkstra JJ, Girbes AR, Groeneveld AB.

Clin Endocrinol (Oxf). 2007 May;66(5):732-9.

Mechanisms of pulmonary dysfunction after on-pump and off-pump cardiac surgery: a prospective cohort study.

Groeneveld AB, Jansen EK, Verheij J.

J Cardiothorac Surg. 2007 Feb 14;2:11.

Implementing strict glucose control: it is not that simple...

Beishuizen A, Groeneveld AB.

Crit Care Med. 2006 Dec;34(12):3050-1.

The role of procalcitonin in a decision tree for prediction of bloodstream infection in febrile patients.

Peters RP, Twisk JW, van Agtmael MA, Groeneveld AB.

Clin Microbiol Infect. 2006 Dec;12(12):1207-13.

Biomarkers of acute renal injury and renal failure.

Trof RJ, Di Maggio F, Leemreis J, Groeneveld AB.

Shock. 2006 Sep;26(3):245-53

Heterogeneity and prediction of hemodynamic responses to dobutamine in patients with septic shock.

Jellema WT, Groeneveld AB, Wesseling KH, Thijs LG, Westerhof N, van Lieshout JJ.

Crit Care Med. 2006 Sep;34(9):2392-8.

Hyperglycaemia in critically ill patients: marker or mediator of mortality?

Corstjens AM, van der Horst IC, Zijlstra JG, Groeneveld AB, Zijlstra F, Tulleken JE,

Ligtenberg JJ.

Crit Care. 2006;10(3):216.

Cardiac response is greater for colloid than saline fluid loading after cardiac or vascular surgery.

Verheij J, van Lingen A, Beishuizen A, Christiaans HM, de Jong JR, Girbes AR,

Wisselink W, Rauwerda JA, Huybregts MA, Groeneveld AB.

Intensive Care Med. 2006 Jul;32(7):1030-8.

Extravascular lung water to blood volume ratios as measures of permeability in sepsis-induced ALI/ARDS.

Groeneveld AB, Verheij J.

Intensive Care Med. 2006 Sep;32(9):1315-21.

Effect of prior statin therapy on capillary permeability in the lungs after cardiac or vascular surgery.

van de Visse EP, van der Heijden M, Verheij J, van Nieuw Amerongen GP, van

Hinsbergh VW, Girbes AR, Groeneveld AB.

Eur Respir J. 2006 May;27(5):1026-32.

Digital image analysis of cytoskeletal F-actin disintegration in renal microvascular endothelium following ischemia/reperfusion.

Leemreis JR, Versteilen AM, Sipkema P, Groeneveld AB, Musters RJ.

Cytometry A. 2006 Sep 1;69(9):973-8.

Catecholamines, parasympathetic stimuli, or cortisol for overwhelming sepsis?

Groeneveld AB, Beishuizen A, de Jong MF.

Crit Care Med. 2006 May;34(5):1549-50.

Rho kinase regulates renal blood flow by modulating eNOS activity in ischemia-reperfusion of the rat kidney.

Versteilen AM, Korstjens IJ, Musters RJ, Groeneveld AB, Sipkema P.

Am J Physiol Renal Physiol. 2006 Sep;291(3):F606-11.

Cardiac output measurement by pulse dye densitometry: comparison with pulmonary artery thermodilution in post-cardiac surgery patients.

Kroon M, Groeneveld AB, Smulders YM.

J Clin Monit Comput. 2005 Dec;19(6):395-9.

Increased pulmonary capillary permeability and extravascular lung water after major vascular surgery: effect on radiography and ventilatory variables.

Groeneveld AB, Verheij J, van den Berg FG, Wisselink W, Rauwerda JA.

Eur J Anaesthesiol. 2006 Jan;23(1):36-41.

Effect of fluid loading with saline or colloids on pulmonary permeability, oedema and lung injury score after cardiac and major vascular surgery.

Verheij J, van Lingen A, Raijmakers PG, Rijsburger ER, Veerman DP, Wisselink W,

Girbes AR, Groeneveld AB.

Br J Anaesth. 2006 Jan;96(1):21-30.

Pulmonary abnormalities after cardiac surgery are better explained by atelectasis than by increased permeability oedema.

Verheij J, van Lingen A, Raijmakers PG, Spijkstra JJ, Girbes AR, Jansen EK, van den

Berg FG, Groeneveld AB.

Acta Anaesthesiol Scand. 2005 Oct;49(9):1302-10.

Simple vs complex radionuclide methods of assessing capillary protein permeability for diagnosing acute respiratory distress syndrome.

Verheij J, Raijmakers PG, Lingen A, Groeneveld AB.

J Crit Care. 2005 Jun;20(2):162-71.

Mechanical ventilation and acute renal failure.

Kuiper JW, Groeneveld AB, Slutsky AS, Plötz FB.

Crit Care Med. 2005 Jun;33(6):1408-15.

Induced nitric oxide impairs relaxation but not contraction in endotoxin-exposed rat pulmonary arteries.

Boer C, Groeneveld AB, Scheffer GJ, de Lange JJ, Westerhof N, Sipkema P.

J Surg Res. 2005 Aug;127(2):197-202.

Long-term outcome after 60 days of intensive care.

Venker J, Miedema M, Strack van Schijndel RJ, Girbes AR, Groeneveld AB.

Anaesthesia. 2005 Jun;60(6):541-6.

Sequential organ failure predicts mortality of patients with a haematological malignancy needing intensive care.

Cornet AD, Issa AI, van de Loosdrecht AA, Ossenkoppele GJ, Strack van Schijndel RJ,

Groeneveld AB.

Eur J Haematol. 2005 Jun;74(6):511-6.

Acute lung injury, overhydration or both?

Groeneveld AB, Polderman KH.
Crit Care. 2005 Apr;9(2):136-7.

Circulating cardiovascular markers and mediators in acute illness: an update.

Beishuizen A, Hartemink KJ, Vermes I, Groeneveld AJ.
Clin Chim Acta. 2005 Apr;354(1-2):21-34.

Molecular mechanisms of acute renal failure following ischemia/reperfusion.

Versteilen AM, Di Maggio F, Leemreis JR, Groeneveld AB, Musters RJ, Sipkema P.
Int J Artif Organs. 2004 Dec;27(12):1019-29.

Monitoring the permeability edema of ventilator-associated lung injury.

Groeneveld AB, Plötz FB, van Genderingen HR.
Crit Care Med. 2005 Jan;33(1):250-2

Endemic multidrug-resistant *Pseudomonas aeruginosa* in critically ill patients.

Ortega B, Groeneveld AB, Schultsz C.
Infect Control Hosp Epidemiol. 2004 Oct;25(10):825-31.

Herpes simplex virus type 1 and normal protein permeability in the lungs of critically ill patients: a case for low pathogenicity?

Verheij J, Groeneveld AB, Beishuizen A, van Lingen A, Simoons-Smit AM, van Schijndel RJ.

Crit Care. 2004 Jun;8(3):R139.

Myocardial O₂ consumption in porcine left ventricle is heterogeneously distributed in parallel to heterogeneous O₂ delivery.

Alders DJ, Groeneveld AB, de Kanter FJ, van Beek JH.
Am J Physiol Heart Circ Physiol. 2004 Sep;287(3):H1353-61.

Is pulmonary edema associated with a high extravascular thermal volume?

Groeneveld AB, Verheij J.
Crit Care Med. 2004 Mar;32(3):899-901.

Respiratory herpes simplex virus type 1 infection/colonisation in the critically ill: marker or mediator?

van den Brink JW, Simoons-Smit AM, Beishuizen A, Girbes AR, Strack van Schijndel RJ, Groeneveld AB.

J Clin Virol. 2004 May;30(1):68-72.

Mannan binding lectin in febrile adults: no correlation with microbial infection and complement activation.

Tacx AN, Groeneveld AB, Hart MH, Aarden LA, Hack CE.
J Clin Pathol. 2003 Dec;56(12):956-9.

Smooth muscle F-actin disassembly and RhoA/Rho-kinase signaling during endotoxin-induced alterations in pulmonary arterial compliance.

Boer C, van Nieuw Amerongen GP, Groeneveld AB, Scheffer GJ, de Lange JJ, Westerhof N, van Hinsbergh VW, Sipkema P.
Am J Physiol Lung Cell Mol Physiol. 2004 Oct;287(4):L649-55.

Elevated nucleosome levels in systemic inflammation and sepsis.

Zeerleder S, Zwart B, Wuillemin WA, Aarden LA, Groeneveld AB, Caliezi C, van Nieuwenhuijze AE, van Mierlo GJ, Eerenberg AJ, Lämmle B, Hack CE.
Crit Care Med. 2003 Jul;31(7):1947-51.

Effect of sevoflurane on the ex vivo secretion of TNF-alpha during and after coronary artery bypass surgery.

El Azab SR, Rosseel PM, De Lange JJ, Groeneveld AB, Van Strik R, Van Wijk EM, Scheffer GJ.

Eur J Anaesthesiol. 2003 May;20(5):380-4.

Endotoxin impairs endothelium-dependent vasodilation more in the coronary and renal arteries than in other arteries of the rat.

Piepot HA, Groeneveld AB, van Lambalgen AA, Sipkema P.
J Surg Res. 2003 Apr;110(2):413-8.

Vascular pharmacology of acute lung injury and acute respiratory distress syndrome.
Groeneveld AB.

Vascul Pharmacol. 2002 Nov;39(4-5):247-56.

Unusual association of Hodgkin's disease and sarcoidosis.

Simsek S, van Leuven F, Bronsveld W, Ooms GH, Groeneveld AB, de Graaff CS.
Neth J Med. 2002 Dec;60(11):438-40.

Circulating inflammatory mediators predict shock and mortality in febrile patients with microbial infection.

Groeneveld AB, Tacx AN, Bossink AW, van Mierlo GJ, Hack CE.
Clin Immunol. 2003 Feb;106(2):106-15.

[Acute respiratory distress syndrome more frequently diagnosed in intensive care patients in the Netherlands than would occur according to internationally established criteria].

Versteegt J, Wind J, van der Werf TS, Bindels AJ, Groeneveld AB.
Ned Tijdschr Geneesk. 2002 Aug 10;146(32):1492-6.

Cold storage sensitizes rat femoral artery to an endotoxin-induced decrease in endothelium-dependent relaxation.

Piepot HA, Pneumatikos IA, Groeneveld AB, van Lambalgen AA, Sipkema P.
J Surg Res. 2002 Jun 15;105(2):189-94.

Dexamethasone decreases the pro- to anti-inflammatory cytokine ratio during cardiac surgery.

El Azab SR, Rosseel PM, de Lange JJ, Groeneveld AB, van Strik R, van Wijk EM, Scheffer GJ.

Br J Anaesth. 2002 Apr;88(4):496-501.

Tumor necrosis factor-alpha impairs endothelium-dependent relaxation of rat renal arteries, independent of tyrosine kinase.

Piepot HA, Groeneveld AB, van Lambalgen AA, Sipkema P.
Shock. 2002 May;17(5):394-8.

Hypoproteinemia as a marker of acute respiratory distress syndrome in critically ill patients with pulmonary edema.

Arif SK, Verheij J, Groeneveld AB, Raijmakers PG.

Intensive Care Med. 2002 Mar;28(3):310-7.

The role of inducible nitric oxide synthase in lipopolysaccharide-mediated hyporeactivity to vasoconstrictors differs among isolated rat arteries.

Piepot HA, Groeneveld AB, van Lambalgen AA, Sipkema P.
Clin Sci (Lond). 2002 Mar;102(3):297-305.

Correlation between midazolam and lignocaine pharmacokinetics and MEGX formation in healthy volunteers.

Swart EL, van der Hoven B, Groeneveld AB, Touw DJ, Danhof M.
Br J Clin Pharmacol. 2002 Feb;53(2):133-9.

Assessing heterogeneous distribution of blood flow and metabolism in the heart.
Groeneveld AB, van Beek JH, Alders DJ.

Basic Res Cardiol. 2001 Nov;96(6):575-81.

Circulating inflammatory mediators in patients with fever: predicting bloodstream infection.

Groeneveld AB, Bossink AW, van Mierlo GJ, Hack CE.

Clin Diagn Lab Immunol. 2001 Nov;8(6):1189-95.

[Adjuvant therapies for sepsis and shock: which are more effective?].

Groeneveld AB, Beishuizen A, Appelmelk BJ, Girbes AR.

Ned Tijdschr Geneesk. 2001 Sep 8;145(36):1718-22.

Exercise induces gastric ischemia in healthy volunteers: a tonometry study.

Otte JA, Oostveen E, Geelkerken RH, Groeneveld AB, Kolkman JJ.

J Appl Physiol (1985). 2001 Aug;91(2):866-71

Gut luminal endotoxin reduces ischemia-reperfusion injury of the small gut in germ-free pigs.

van der Hoven B, Nabuurs M, van Leengoed LA, Groeneveld AB, Thijs LG. *Shock*. 2001 Jul;16(1):28-32.

Granulocyte-macrophage colony-stimulating factor (GM-CSF) decreases left ventricular function. An echocardiographic study in cancer patients.

Knoops S, Groeneveld AB, Kamp O, Lagrand WK, Hoekman K. *Cytokine*. 2001 May 7;14(3):184-7.

Albumin and artificial colloids in fluid management: where does the clinical evidence of their utility stand?

Groeneveld AB. *Crit Care*. 2000;4 Suppl 2:S16-20.

The renal and neurohumoral effects of the addition of low-dose dopamine in septic critically ill patients.

Girbes AR, Patten MT, McCloskey BV, Groeneveld AB, Hoogenberg K. *Intensive Care Med*. 2000 Nov;26(11):1685-9.

alpha-atrial natriuretic peptide, cyclic guanosine monophosphate, and endothelin in plasma as markers of myocardial depression in human septic shock.

Hartemink KJ, Groeneveld AB, de Groot MC, Strack van Schijndel RJ, van Kamp G, Thijs LG. *Crit Care Med*. 2001 Jan;29(1):80-7.

Prediction of shock in febrile medical patients with a clinical infection.

Bossink AW, Groeneveld AB, Koffeman GI, Becker A. *Crit Care Med*. 2001 Jan;29(1):25-31.

[PCO₂ tonometry of the stomach].

Otte JA, Kolkman JJ, Groeneveld AB. *Ned Tijdschr Geneesk*. 2000 Dec 2;144(49):2341-5.

Hemodynamic effects of intermittent manual lung hyperinflation in patients with septic shock.

Jellema WT, Groeneveld AB, van Goudoever J, Wesseling KH, Westerhof N, Lubbers MJ, Kesecioglu J, Van Lieshout JJ. *Heart Lung*. 2000 Sep-Oct;29(5):356-66.

A role for plasma removal during sepsis?

Grooteman MP, Groeneveld AB. *Intensive Care Med*. 2000 May;26(5):493-5.

Effect of the mechanical ventilatory cycle on thermodilution right ventricular volumes and cardiac output.

Groeneveld AB, Berendsen RR, Schneider AJ, Pneumatikos IA, Stokkel LA, Thijs LG. *J Appl Physiol* (1985). 2000 Jul;89(1):89-96.

Interaction of oxyradicals, antioxidants, and nitric oxide during sepsis.

Groeneveld AB, Sipkema P. *Crit Care Med*. 2000 Jun;28(6):2161-2.

Lipopolysaccharide impairs endothelial nitric oxide synthesis in rat renal arteries.

Piepot HA, Boer C, Groeneveld AB, Van Lambalgen AA, Sipkema P. *Kidney Int*. 2000 Jun;57(6):2502-10.

Role of bacterial virulence factors and host factors in the outcome of *Escherichia coli* bacteraemia.

Hekker TA, Groeneveld AB, Simoons-Smit AM, de Man P, Connell H, MacLaren DM. *Eur J Clin Microbiol Infect Dis*. 2000 Apr;19(4):312-6.

Gastrointestinal luminal PCO₂ tonometry: an update on physiology, methodology and clinical applications.

Kolkman JJ, Otte JA, Groeneveld AB. *Br J Anaesth*. 2000 Jan;84(1):74-86.

Heterogeneity of local metabolism and perfusion. Measuring local myocardial O₂ consumption in situ using frozen samples.

van Beek JH, van Mil HG, Alders DJ, Groeneveld AB, van Lambalgen AA, de Kanter FJ, Harrison GJ, Bussemaker J. *Adv Exp Med Biol*. 1999;471:271-81.

Electrical impedance tomography in the assessment of extravascular lung water in noncardiogenic acute respiratory failure.

Kunst PW, Vonk Noordegraaf A, Raaijmakers E, Bakker J, Groeneveld AB, Postmus PE, de Vries PM. *Chest*. 1999 Dec;116(6):1695-702.

Treating septic shock with norepinephrine.

Groeneveld AB, Girbes AR, Thijs LG. *Crit Care Med*. 1999 Sep;27(9):2022-3.

Prediction of microbial infection and mortality in medical patients with fever: plasma procalcitonin, neutrophilic elastase-alpha1-antitrypsin, and lactoferrin compared with clinical variables.

Bossink AW, Groeneveld AB, Thijs LG. *Clin Infect Dis*. 1999 Aug;29(2):398-407.

The clinical host response to microbial infection in medical patients with fever.

Bossink AW, Groeneveld AB, Hack CE, Thijs LG. *Chest*. 1999 Aug;116(2):380-90.

Predicting outcome after cardiac surgery: comparison of global haemodynamic and tonometric variables.

Bams JL, Mariani MA, Groeneveld AB. *Br J Anaesth*. 1999 Jan;82(1):33-7.

Continuous cardiac output in septic shock by simulating a model of the aortic input impedance: a comparison with bolus injection thermodilution.

Jellema WT, Wesseling KH, Groeneveld AB, Stoutenbeek CP, Thijs LG, van Lieshout JJ. *Anesthesiology*. 1999 May;90(5):1317-28.

Factors affecting gastrointestinal luminal PCO₂ tonometry.

Groeneveld AB, Kolkman JJ. *Intensive Care Med*. 1999 Mar;25(3):249-51.

Characteristics of time-dependent PCO₂ tonometry in the normal human stomach.

Kolkman JJ, Steverink PJ, Groeneveld AB, Meuwissen SG. *Br J Anaesth*. 1998 Nov;81(5):669-75.

Circulating endothelin and nitrate-nitrite relate to hemodynamic and metabolic variables in human septic shock.

Groeneveld AB, Hartemink KJ, de Groot MC, Visser J, Thijs LG. *Shock*. 1999 Mar;11(3):160-6.

Effect of gastric feeding on intragastric P(CO₂) tonometry in healthy volunteers.

Kolkman JJ, Groeneveld AB, Meuwissen SG. *J Crit Care*. 1999 Mar;14(1):34-8.

Treatment of increased microvascular permeability following inflammation?

Groeneveld AB. *Crit Care Med*. 1999 Jan;27(1):23-4.

Increased gastric PCO₂ during exercise is indicative of gastric ischaemia: a tonometric study.

Kolkman JJ, Groeneveld AB, van der Berg FG, Rauwerda JA, Meuwissen SG. *Gut*. 1999 Feb;44(2):163-7.

Reliable gastric tonometry after coronary artery surgery: need for acid secretion suppression despite transient failure of acid secretion.

Bams JL, Kolkman JJ, Roukens MP, Douma DP, Loeff BG, Meuwissen SG, Groeneveld AB.

Intensive Care Med. 1998 Nov;24(11):1139-43.

Gastric tonometry in the fed or fasting state?

Groeneveld AB, Vervloet M, Kolkman JJ.

Crit Care Med. 1998 Dec;26(12):1937-9.

Gastrointestinal tonometry: methodological considerations with use of fluid and air.

Kolkman JJ, Otte JA, Groeneveld AB.

Anesthesiol Intensivmed Notfallmed Schmerzther. 1998 Jun;33 Suppl 2:S74-7.

Interpreting the venous-arterial PCO₂ difference.

Groeneveld AB.

Crit Care Med. 1998 Jun;26(6):979-80.

Catheter deadspace: a source of error during tonometry.

Steuerink PJ, Kolkman JJ, Groeneveld AB, de Vries JW.

Br J Anaesth. 1998 Mar;80(3):337-41.

The 67gallium-transferrin pulmonary leak index in patients at risk for the acute respiratory distress syndrome.

Groeneveld AB, Raijmakers PG.

Crit Care Med. 1998 Apr;26(4):685-91.

Occlusive and non-occlusive gastrointestinal ischaemia: a clinical review with special emphasis on the diagnostic value of tonometry.

Kolkman JJ, Groeneveld AB.

Scand J Gastroenterol Suppl. 1998;225:3-12.

The 67gallium-transferrin pulmonary leak index in pneumonia and associated adult respiratory distress syndrome.

Groeneveld AB, Raijmakers PG.

Clin Sci (Lond). 1997 Nov;93(5):463-70.

Systemic coagulation and fibrinolysis in patients with or at risk for the adult respiratory distress syndrome.

Groeneveld AB, Kindt I, Raijmakers PG, Hack CE, Thijs LG.

Thromb Haemost. 1997 Dec;78(6):1444-9.

Complement activation in patients with sepsis is in part mediated by C-reactive protein.

Wolbink GJ, Bossink AW, Groeneveld AB, de Groot MC, Thijs LG, Hack CE.

J Infect Dis. 1998 Jan;177(1):81-7.

The inflammatory response to vascular surgery-associated ischaemia and reperfusion in man: effect on postoperative pulmonary function.

Groeneveld AB, Raijmakers PG, Rauwerda JA, Hack CE.

Eur J Vasc Endovasc Surg. 1997 Nov;14(5):351-9.

Acute lung injury after aortic surgery: the relation between lung and leg microvascular permeability to 111indium-labelled transferrin and circulating mediators.

Raijmakers PG, Groeneveld AB, Rauwerda JA, Teule GJ, Hack CE.

Thorax. 1997 Oct;52(10):866-71.

Low- and high-blood flow regions in the normal pig heart are equally vulnerable to ischaemia during partial coronary stenosis.

Bussemaker J, Groeneveld AB, Teerlink T, Hennekes M, Westerhof N, van Beek JH.

Pflugers Arch. 1997 Nov;434(6):785-94.

Heterogeneity of DMIPP uptake and its relationship with heterogeneous myocardial blood flow.

Sloof GW, Visser FC, Comans EF, Groeneveld AB, Bax JJ, van Eenige MJ, van der

Vusse GJ, Knapp FF Jr.

J Nucl Med. 1997 Sep;38(9):1424-30.

Type of solution and PCO₂ measurement errors during tonometry.

Kolkman JJ, Zwaarekant LJ, Boshuizen K, Groeneveld AB, Steuerink PJ, Meuwissen SG.

Intensive Care Med. 1997 Jun;23(6):658-63.

Radionuclide assessment of pulmonary microvascular permeability.

Groeneveld AB.

Eur J Nucl Med. 1997 Apr;24(4):449-61.

In vitro evaluation of intragastric PCO₂ measurement by air tonometry.

Kolkman JJ, Zwaarekant LJ, Boshuizen K, Groeneveld AB, Meuwissen SG.

J Clin Monit. 1997 Mar;13(2):115-9.

Effect of nasogastric suction and ranitidine on the calculated gastric intramucosal pH.

Kolkman JJ, Groeneveld AB.

Intensive Care Med. 1997 Jan;23(1):132.

Gastric PCO₂ tonometry is independent of carbonic anhydrase inhibition.

Kolkman JJ, Groeneveld AB, Meuwissen SG.

Dig Dis Sci. 1997 Jan;42(1):99-102.

The 67gallium pulmonary leak index in assessing the severity and course of the adult respiratory distress syndrome.

Groeneveld AB, Raijmakers PG, Teule GJ, Thijs LG.

Crit Care Med. 1996 Sep;24(9):1467-72.

Diagnostic value of the gallium-67 pulmonary leak index in pulmonary edema.

Raijmakers PG, Groeneveld AB, Teule GJ, Thijs LG.

J Nucl Med. 1996 Aug;37(8):1316-22.

What is the cause of pulmonary oedema after acute myocardial infarction? A case study.

Raijmakers PG, Bax JJ, Groeneveld AB, Visser FC, Teule GJ, Thijs LG.

Intensive Care Med. 1996 Jun;22(6):591-2.

Multiple organ failure in septic shock.

Thijs LG, Groeneveld AB, Hack CE.

Curr Top Microbiol Immunol. 1996;216:209-37.

Interleukin 8-related neutrophil elastase and the severity of the adult respiratory distress syndrome.

Groeneveld AB, Raijmakers PG, Hack CE, Thijs LG.

Cytokine. 1995 Oct;7(7):746-52.

Methylene blue increases myocardial function in septic shock.

Daemen-Gubbels CR, Groeneveld PH, Groeneveld AB, van Kamp GJ, Bronsveld W,

Thijs LG.

Crit Care Med. 1995 Aug;23(8):1363-70.

Feasibility of planar fluorine-18-FDG imaging after recent myocardial infarction to assess myocardial viability.

Huitink JM, Visser FC, van Lingen A, Groeneveld AB, Bax JJ, van Leeuwen GR, Visser

GM, Van Loon MJ, Teule GJ, Visser CA.

J Nucl Med. 1995 Jun;36(6):975-81.

Effects of human growth hormone in critically ill nonseptic patients: results from a prospective, randomized, placebo-controlled trial.

Voerman BJ, Strack van Schijndel RJ, Groeneveld AB, de Boer H, Nauta JB, Thijs LG.

Crit Care Med. 1995 Apr;23(4):665-73.

Transient increase in interleukin-8 and pulmonary microvascular permeability following aortic surgery.

Raijmakers PG, Groeneveld AB, Rauwerda JA, Schneider AJ, Teule GJ, Hack CE, Thijs

LG.

Am J Respir Crit Care Med. 1995 Mar;151(3 Pt 1):698-705.

- Abdominal compressions increase vital organ perfusion during CPR in dogs: relation with efficacy of thoracic compressions.
Hoekstra OS, van Lambalgen AA, Groeneveld AB, van den Bos GC, Thijs LG.
Ann Emerg Med. 1995 Mar;25(3):375-85.
- Relation between myocardial uptake of thallium-201 chloride and fluorine-18 fluorodeoxyglucose imaged with single-photon emission tomography in normal individuals.
Bax JJ, Visser FC, van Lingen A, Groeneveld AB, Huitink JM, Teule GJ, Visser CA.
Eur J Nucl Med. 1995 Jan;22(1):56-60.
- Delayed resolution of pulmonary oedema after cocaine/heroin abuse.
Rajmakers PG, Groeneveld AB, de Groot MC, Teule GJ, Thijs LG.
Thorax. 1994 Oct;49(10):1038-40.
- Splanchnic tonometry: a review of physiology, methodology, and clinical applications.
Groeneveld AB, Kolkman JJ.
J Crit Care. 1994 Sep;9(3):198-210.
- Effects of human growth hormone on fuel utilization and mineral balance in critically ill patients on full intravenous nutritional support.
Voerman BJ, Strack van Schijndel RJ, de Boer H, Groeneveld AB, Nauta JP, van der Veen EA, Thijs LG.
J Crit Care. 1994 Sep;9(3):143-50.
- Local mitochondrial enzyme activity correlates with myocardial blood flow at basal workloads.
Bussemaker J, van Beek JH, Groeneveld AB, Hennekes M, Teerlink T, Thijs LG, Westerhof N.
J Mol Cell Cardiol. 1994 Aug;26(8):1017-28.
- High volume hemofiltration improves hemodynamics and survival of pigs exposed to gut ischemia and reperfusion.
Grootendorst AF, van Bommel EF, van Leengoed LA, Nabuurs M, Bouman CS, Groeneveld AB.
Shock. 1994 Jul;2(1):72-8.
- Effect of ranitidine on basal and bicarbonate enhanced intragastric PCO₂: a tonometric study.
Kolkman JJ, Groeneveld AB, Meuwissen SG.
Gut. 1994 Jun;35(6):737-41.
- Acute effect of ibopamine and isosorbide mononitrate on blood volume distribution in congestive heart failure.
Holman ND, Hoekstra OS, Groeneveld AB, Schneider AJ, de Voogt WG, van der Meer J.
Eur J Clin Pharmacol. 1994;47(4):325-30.
- Pathogenesis of acute renal failure during sepsis.
Groeneveld AB.
Nephrol Dial Transplant. 1994;9 Suppl 4:47-51.
- Transvascular transport of ⁶⁷Ga in the lungs after cardiopulmonary bypass surgery.
Rajmakers PG, Groeneveld AB, Schneider AJ, Teule GJ, van Lingen A, Eijssman L, Thijs LG.
Chest. 1993 Dec;104(6):1825-32.
- Time course and variability of the endocrine and metabolic response to severe sepsis.
Voerman HJ, Groeneveld AB, de Boer H, Strack van Schijndel RJ, Nauta JP, van der Veen EA, Thijs LG.
Surgery. 1993 Nov;114(5):951-9.
- Infusion of ultrafiltrate from endotoxemic pigs depresses myocardial performance in normal pigs.
Grootendorst AF, van Bommel EF, van Leengoed LA, van Zanten AR, Huipen HJ, Groeneveld AB.
J Crit Care. 1993 Sep;8(3):161-9.
- Correlation of heterogeneous blood flow and fatty acid uptake in the normal dog heart.
Groeneveld AB, Visser FC.
Basic Res Cardiol. 1993 May-Jun;88(3):223-32.
- Vasodilating prostaglandin E1 decreases critical oxygen delivery by increasing critical oxygen extraction in anesthetized pigs.
Groeneveld AB, Vermeij CG, Nauta JJ, Thijs LG.
Circ Shock. 1993 Apr;39(4):253-62.
- Effects of recombinant human growth hormone in patients with severe sepsis.
Voerman HJ, van Schijndel RJ, Groeneveld AB, de Boer H, Nauta JP, van der Veen EA, Thijs LG.
Ann Surg. 1992 Dec;216(6):648-55.
- Pulsatile hormone secretion during severe sepsis: accuracy of different blood sampling regimens.
Voerman HJ, Strack van Schijndel RJ, Groeneveld AB, de Boer H, Nauta JP, Thijs LG.
Metabolism. 1992 Sep;41(9):934-40.
- Plasma endothelin levels are increased during septic shock.
Voerman HJ, Stehouwer CD, van Kamp GJ, Strack van Schijndel RJ, Groeneveld AB, Thijs LG.
Crit Care Med. 1992 Aug;20(8):1097-101.
- Metabolic vasodilatation with glucose-insulin-potassium does not change the heterogeneous distribution of coronary blood flow in the dog.
Groeneveld AB, van Lambalgen AA, van den Bos GC, Nauta JJ, Thijs LG.
Cardiovasc Res. 1992 Aug;26(8):757-64.
- Transport of ⁶⁷Ga and ¹¹¹In across a membrane. Role of plasma binding and concentration gradients.
Rajmakers PG, Groeneveld AB, Den Hollander W, Teule GJ.
Nucl Med Commun. 1992 May;13(5):349-56.
- Total body blood volume redistribution in porcine E. coli septic shock: effect of volume loading, dobutamine, and norepinephrine.
Schneider AJ, Groeneveld AB, Teule GJ, Wesdorp RI, Thijs LG.
Circ Shock. 1991 Dec;35(4):215-22.
- Arterial and mixed venous blood acid-base balance during hypoperfusion with incremental positive end-expiratory pressure in the pig.
Groeneveld AB, Vermeij CG, Thijs LG.
Anesth Analg. 1991 Nov;73(5):576-82.
- Adrenocortical insufficiency: a rare presentation of non-Hodgkin's lymphoma.
Pool MO, Janssen MJ, van der Valk P, Groeneveld AB.
J Intern Med. 1991 Apr;229(4):377-80.
- Maldistribution of heterogeneous coronary blood flow during canine endotoxin shock.
Groeneveld AB, van Lambalgen AA, van den Bos GC, Bronsveld W, Nauta JJ, Thijs LG.
Cardiovasc Res. 1991 Jan;25(1):80-8.
- Acute renal failure in the medical intensive care unit: predisposing, complicating factors and outcome.
Groeneveld AB, Tran DD, van der Meulen J, Nauta JJ, Thijs LG.
Nephron. 1991;59(4):602-10.
- Plasma lipid peroxides and antioxidants in human septic shock.
Ogilvie AC, Groeneveld AB, Straub JP, Thijs LG.
Intensive Care Med. 1991;17(1):40-4.

Age, chronic disease, sepsis, organ system failure, and mortality in a medical intensive care unit.

Tran DD, Groeneveld AB, van der Meulen J, Nauta JJ, Strack van Schijndel RJ, Thijs LG.

Crit Care Med. 1990 May;18(5):474-9.

Effects of N-acetylcysteine and terbutaline treatment on hemodynamics and regional albumin extravasation in porcine septic shock.

Groeneveld AB, den Hollander W, Straub J, Nauta JJ, Thijs LG.

Circ Shock. 1990 Mar;30(3):185-205.

The haemodynamics of septic shock.

Thijs LG, Schneider AJ, Groeneveld AB.

Intensive Care Med. 1990;16 Suppl 3:S182-6.

Septic shock and multiple organ failure: treatment with haemofiltration?

Groeneveld AB.

Intensive Care Med. 1990;16(8):489-90.

Pulmonary artery catheterisation in septic shock. Indications; therapeutic and prognostic implications.

Groeneveld AB, Thijs LG.

Clin Intensive Care. 1990;1(3):111-5.

Effect of dopamine vs norepinephrine on hemodynamics in septic shock. Emphasis on right ventricular performance.

Schreuder WO, Schneider AJ, Groeneveld AB, Thijs LG.

Chest. 1989 Jun;95(6):1282-8.

Decreased reflection coefficient as a possible cause of low blood pressure in severe septicemia.

Bilo HJ, Strack van Schijndel RJ, Schreuder WO, Groeneveld AB, Thijs LG.

Intensive Care Med. 1989;15(2):137-9.

Peripheral circulation in septic shock.

Thijs LG, Hack CE, Nuyens JH, Groeneveld AB.

Prog Clin Biol Res. 1989;308:163-74.

Blood viscosity and circulatory shock.

Voerman HJ, Groeneveld AB.

Intensive Care Med. 1989;15(2):72-8.

Biventricular performance during volume loading in patients with early septic shock, with emphasis on the right ventricle: a combined hemodynamic and radionuclide study.

Schneider AJ, Teule GJ, Groeneveld AB, Nauta J, Heidendal GA, Thijs LG.

Am Heart J. 1988 Jul;116(1 Pt 1):103-12.

Peripheral vascular resistance in septic shock: its relation to outcome.

Groeneveld AB, Nauta JJ, Thijs LG.

Intensive Care Med. 1988;14(2):141-7.

The influence of catecholamines on right ventricular function in septic shock.

Schreuder WO, Schneider AJ, Groeneveld AB, Thijs LG.

Intensive Care Med. 1988;14 Suppl 2:492-5.

Influence of rosmarinic acid on opsonization and intracellular killing of Escherichia coli and Staphylococcus aureus by porcine and human polymorphonuclear leucocytes.

Verweij-van Vught AM, Appelmek BJ, Groeneveld AB, Sparrius M, Thijs LG,

MacLaren DM.

Agents Actions. 1987 Dec;22(3-4):288-94.

The immediate effect of nitroglycerin on total body blood volume distribution in patients with congestive heart failure: a non-invasive study.

Schneider AJ, Teule GJ, Groeneveld AB, Nauta J, Luth WJ, Thijs LG.

Eur Heart J. 1987 Oct;8(10):1119-25.

Relation of arterial blood lactate to oxygen delivery and hemodynamic variables in human shock states.

Groeneveld AB, Kester AD, Nauta JJ, Thijs LG.

Circ Shock. 1987;22(1):35-53.

Increased systemic microvascular albumin flux in septic shock.

Groeneveld AB, Teule GJ, Bronsveld W, van den Bos GC, Thijs LG.

Intensive Care Med. 1987;13(2):140-2.

Volume expansion, dobutamine and noradrenaline for treatment of right ventricular dysfunction in porcine septic shock: a combined invasive and radionuclide study.

Schneider AJ, Groeneveld AB, Teule GJ, Nauta J, Heidendal GA, Thijs LG.

Circ Shock. 1987;23(2):93-106.

Increased systemic microvascular permeability in septic shock.

Groeneveld AB, Thijs LG.

Prog Clin Biol Res. 1987;236A:487-94.

Effects of vasodilators prostaglandin E1 and methylprednisolone on pulmonary hypertension and right ventricular performance during volume loading in porcine septic shock: a combined invasive and radionuclide study.

Schneider AJ, Teule GJ, Kester AD, van Halderen P, Groeneveld AB, Heidendal GA, Thijs LG.

Circ Shock. 1987;22(2):141-54.

Progressive and fatal course of a patient with a multifocal leiomyomatous tumor.

Groeneveld AB, Bosma A, Ceelen TL, Kouwenhoven TJ, Meuwissen SG.

Am J Gastroenterol. 1986 Aug;81(8):702-7.

Hemodynamic determinants of mortality in human septic shock.

Groeneveld AB, Bronsveld W, Thijs LG.

Surgery. 1986 Feb;99(2):140-53.

Microvascular permeability in endotoxin and bacterial shock.

Groeneveld AB, van Lambalgen TA, Thijs LG.

Acute Care. 1986;12(3-4):195-218.

Controversies in pharmacotherapy during cardiopulmonary resuscitation. A pathophysiological approach.

Groeneveld AB.

Neth J Med. 1985;28(5):208-15.

Intermittent abdominal compression during cardiopulmonary resuscitation.

Groeneveld AB, Bronsveld W, Thijs LG.

Lancet. 1984 May 12;1(8385):1076-7

Shunt nephritis associated with Propionibacterium acnes with demonstration of the antigen in the glomeruli.

Groeneveld AB, Nommensen FE, Mullink H, Ooms EC, Bode WA.

Nephron. 1982;32(4):365-9.